

# INDEX MAPS.

## T. 30 N., R. 3 W. 2<sup>nd</sup> Mer.

	406		405		405		405		404		404	
408	6	430	5	424	4	420	3	416	2	412	1	404
	<del>429</del>		<del>429</del>		<del>423</del>		<del>420</del>		<del>416</del>		<del>412</del>	
408	7	429	8	423	9	419	10	416	11	412	12	403
	<del>428</del>		<del>428</del>		<del>423</del>		<del>419</del>		<del>415</del>		<del>411</del>	
407	18	427	17	422	16	419	15	415	14	411	13	403
	<del>427</del>		<del>427</del>		<del>422</del>		<del>418</del>		<del>415</del>		<del>411</del>	
407	19	426	20	422	21	418	22	414	23	410	24	403
	<del>426</del>		<del>426</del>		<del>421</del>		<del>418</del>		<del>414</del>		<del>410</del>	
407	30	425	29	421	28	417	27	413	26	410	25	402
	<del>425</del>		<del>424</del>		<del>421</del>		<del>417</del>		<del>413</del>		<del>409=410</del>	
406	31	424	32	420	33	417	34	413	35	408	36	402
	401		401		401		400		400		400	

## T. 31 N., R. 3 W. 2<sup>nd</sup> Mer.

	439		439		439		438		438		438	
442	6	468	5	461	4	456	3	452	2	446	1	437
	<del>467</del>		<del>467</del>		<del>460</del>		<del>456</del>		<del>451</del>		<del>446</del>	
441	7	466	8	460	9	455	10	451	11	445	12	437
	<del>466</del>		<del>466</del>		<del>460</del>		<del>455</del>		<del>450</del>		<del>445</del>	
441	18	465	17	459	16	455	15	450	14	444	13	437
	<del>465</del>		<del>464</del>		<del>459</del>		<del>454</del>		<del>449</del>		<del>444</del>	
440	19	464	20	458	21	454	22	449	23	443	24	436
	<del>464</del>		<del>463</del>		<del>458</del>		<del>453</del>		<del>448</del>		<del>443</del>	
440	30	463	29	457	28	453	27	448	26	443	25	436
	<del>462</del>		<del>462</del>		<del>457</del>		<del>453</del>		<del>447</del>		<del>442</del>	
440	31	461	32	457	33	452	34	447	35	442	36	436
	435		435		434		434		434		434	

The figures on the lines refer to the page.

400

Township 30 North Range 3 West 2<sup>nd</sup> Mer.

State of Indiana.

Co. C. South Boundary. (Var. 5° 20' E.)  
West On the S. side of sec 34 T 30 N R 3 W  
39.00 Leave the prairie  
40.00 Set the gr. & sec. cor. post from which  
a W. Oak 10 in. diam. bears N 28 E 65 ft. 1/4,  
La G. Oak 12 " " " N 80 W 49 " 1/4,  
60.00 Entered a wet prairie  
80.00 Set a post cor. to sec. 35 & 36  
a G. Oak 8 in. diam. bears N 75 E 85 ft. 1/4,  
La Do. 12 " " " N 88 E 721 "  
Land is mostly wet prairie soil poor & the  
timber is Oak & very scattering.

West On the S. side of sec. 35 T 30 N R 3 W  
24.00 Leave the wet prairie  
40.00 Set the gr. & sec. cor. post from which  
a W. Oak 12 in. diam. bears N 11 W 32 ft. 1/4, 1/2,  
La Do. 10 " " " N 23 W 59 " "  
52.83 La G. Oak 28 " " in the line.  
54.00 Entered a wet prairie  
80.00 Set a post cor. to sec. 34 & 35 from which  
a W. Oak 12 in. diam. bears N 77 E 153 ft. 1/4, 1/2,  
La G. Oak 6 " " " N 52 E 98 " "  
Land is same as on last mile,

West On the S. side of sec. 34 T 30 N R 3 W  
28.00 Leave the wet prairie  
40.00 Set the gr. & sec. cor. post from which  
a W. Oak 6 in. diam. bears N 6 E 37 ft. 1/4, 1/2,  
La Do. 12 " " " N 81 E 113 " "  
46.00 Entered a wet prairie

T. 30 N. R. 3 W. 2<sup>nd</sup>, Mev, Ind.

C. L.

- 79.00 Leave the wet prairie  
 80.00 Set a post cor. to sec. 33 & 34 from which  
 a G. Oak 6 in dia. bears N 29 E 59 ft. dia. &  
 a Do. 8 " " " N 64 E 96 " "  
 Land is same as on last mile,

- Post On the S. south side of sec. 33  
 15.00 Entered a wet prairie  
 39.00 Leave the same,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 14 in dia. bears N 47 W 51 ft. dia. &  
 a G. Oak 20 " " " N 66 W 14 " "  
 42.00 Entered a wet prairie  
 80.00 Set a post cor. to sec. 32 & 33 from wh.  
 a G. Oak 18 in dia. bears N 47 E 40 ft. dia.  
 & a Do. 14 " " " N 85 W 195 " "  
 Land is same as on last mile,

- Post On the S. side of sec. 32 T 30 N R 3 W  
 1.00 Leave the wet prairie  
 8.00 Entered a " Do.  
 40.00 Set a gr. sec. cor. post & rain a round  
 80.00 Set a post cor. to sec. 31 & 32 from which  
 a G. Oak 10 in dia. bears N 39 E 56 ft. dia.  
 & a Do. 12 " " " N 87 W 561 " "  
 Land wet prairie soil sec. rate,

- Post On the S. side of sec. 31. T 30 N R 3 W  
 5.00 Leave the wet prairie  
 12.11 To a G. Oak 18 in dia. in the line,  
 15.00 Entered a wet prairie  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 8 in dia. bears N 69 E 13 ft. dia.

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer, Ind<sup>a</sup>

C. L.

- To a W. Oak 12 in. dia. bears N 74 W 269 M. dist 4  
 44.00 Leave the wet prairie  
 52.00 Enter a wet prairie  
 81.72 To the W. boundary, 10.30 M. South of trap  
 post set post cor. to Towns 29 & 30 N. Ranges  
 3 & 4 West, from which are  
 an Aspen 9 in. dia. bears N 65 E 186 M.  
 & a W. Oak 12 " " " N 31 W 379 "  
 Land level & poor & the timber is Oak &c.  
 Dec. 8<sup>th</sup> 1835. By observation. (Var. 5° 35' E.)  
 Surveyed by Sylvester Sibley Dep. Sur.

## East Boundary, (Var. 6° 16' E.)

- North On the E. side of sec. 36, T 30 N R 3 W  
 a W. Oak 20 in. dia. bears N 44 W 460 M. dist 4  
 & a W. Oak 12 " " " N 6 E 704 " "  
 5.00 Leave the wet prairie  
 12.00 Enter a " Do,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears N 44 W 335 M. dist,  
 & a W. Oak 12 " " " N 89 1/2 W 224 " "  
 68.00 Leave the wet prairie  
 80.50 Set a post cor. to sec. 25 & 36 from which,  
 a W. Oak 12 in. dia. bears N 70 W 46 M. dist,  
 & a Do. 12 " " " N 79 W 45 " "  
 Land is mostly wet prairie &c

- North On the E. side of sec. 25 T 30 N R 3 W  
 24.06 To a W. Oak 12 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 10 in. dia. bears N 75 1/2 W 57 M. dist  
 & a Do. 10 " " " N 75 W 46 " "  
 52.23 To a W. Oak 10 " " in the line,



403

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. "

C. L.

80.00

Set a post cor. to sec. 24 & 25 from which  
 a W. Oak 9 in. dia. bears S 84° W 87 lbs. dist. 4  
 & Do. 6 " " " N 81° W 125 " "  
 Land level & separate Oak timber in W. 1/2 sec.

North On the E. side of sec. 24 T 30 N R 3 W

40.00

Set the gr. sec. cor. post from which  
 a W. Oak 9 in. dia. bears S 41° W 204 lbs. dist. 4  
 & G. Oak 6 " " " N 30° W 259 " "

76.42 To a Do. 12 " " in the line,

80.00

Set a post cor. to sec. 13 & 24 from which  
 a W. Oak 10 in. dia. bears S 39° W 153 lbs. dist.  
 & a Do. 10 " " " S 62° W 178 " "  
 Land &c is same as on last mile,

North On the E. side of sec. 13 T 30 N R 3 W

9.96

To a G. Oak 24 in. dia. in the line,

40.00

Set the gr. sec. cor. post from which  
 a W. Oak 12 in. dia. bears N 81½° W 77 lbs. dist.  
 & a G. Oak 6 " " " N 49° W 44 " "

80.00

Set a post cor. to sec. 12 & 13 from wh  
 a W. Oak 12 in. dia. bears S 89½° E 572 lbs.  
 no other near, Land separate Oak timber wet,

North On the E. side of sec. 12 T 30 N R 3 W

40.00

Set the gr. sec. cor. post from which  
 a W. Oak 10 in. dia. bears S 69° W 56 lbs. dist.  
 & a G. Oak 18 " " " N 69° W 88 " "

61.27

To a W. Oak 12 " " in the line,

80.00

Set a post cor. to sec. 18 & 12 from wh,  
 a W. Oak 10 in. dia. bears N 10° W 13 lbs. dist.  
 & a Do. 10 " " " N 48° W 19 " "  
 Land &c is same as on last mile

T. 30 N. R. 3 W. 2<sup>nd</sup>, Mer, Ind.6.31  
North

40.00 On the E. side of sec. 1 T 30 N R 3 W  
 set the gr. sec. cor. post from which  
 a W. Oak 12 in. dia. bears N 18 E 174 lbs. dist.,  
 & a G. Oak 12 " " " N 6 E W 162 " "

79.00 Entered wet prairie

80.00 Set a temporary brown. cor. post,  
 Land level & separate the timber  
 then chiefly oak. (Var. 6 E 16 E.)

note. Took Variation on this line at cor. of sec.  
 1 & 12 & found it to be 6 E 40 E. also took it at  
 cor. T. 29 & 30 N. R. 2 & 3 W & found it to be 5 E 30 E.  
 Great local attraction exists somewhere on  
 this line. I was obliged to run the 2<sup>nd</sup> time,  
 December 16<sup>th</sup> 1834. — Surveyed by  
 Sylvester Sibley, Dep. Sur.

## North Boundary, (Var. 5 E 30 E.)

West

On the S. side of Sec. 36 T 31 N R 3 W  
 a W. Oak 10 in. dia. bears N 46 E 181 lbs. dist.,  
 & a Do. 12 " " " S 52 W 136 " "

40.00 Set the gr. sec. cor. post in prairie  
 a W. Oak 10 in. dia. bears N 5 E W 392 lbs. dist.,

70.00 Leave the wet prairie. (no other tree)

80.00 Set a post cor. to sec. 35 & 36 from wh.  
 a G. Oak 14 in. dia. bears N 18 W 32 lbs. dist.,  
 & a W. Oak 12 " " " N 53 E 30 " "

Land mostly wet prairie some scattering  
 oak & the soil is separate,

West

On the S. side of Sec. 35 T 31 N R 3 W

5.00 Entered a wet prairie

40.00 Set the gr. sec. cor. post from which  
 a G. Oak 8 in. dia. bears N 18 E 265 lbs. dist.,

T. 30 N. R. 3 W. 2<sup>nd</sup>. Mer. Ind.;

6. L. No other bearing tree given  
 80.00 Set a post cor. to sec. 34 & 35 from wh.  
 a W. Oak 18 in. dia. bears N 66 E 12 15 the. dist.  
 & a Do. 16 " " " N 65 E 12 03 " "  
 Land &c. is same as on last mile.

West On the S. side of sec. 34 T. 31 N. R. 3 W.  
 40.00 Set the 2<sup>nd</sup> sec. cor. post from which  
 an Aspen 3 in. dia. bears N 68 E 58 8 the.  
 & no other tree given

80.00 Set a post cor. to sec. 33 & 34 from wh.  
 a W. Oak 20 in. dia. bears N 87 E 46 1 the. dist.  
 & a G. Oak 20 " " " N 88 46 " "  
 Land is a poor wet prairie,

West On the S. side of sec. 33. T. 31 N. R. 3 W.  
 1.00 Leave the wet prairie

27.23 To a W. Oak 18 in. dia. in the line,

29.00 Enter a marsh

40.00 Set the gr. sec. cor. post from which  
 a W. Oak 8 in. dia. bears N 89 E 12.21 the.  
 no other bearing given,

47.00 Leave the marsh

61.23 To a W. Oak 10 in. dia. in the line

80.00 Set a post cor. to sec. 32 & 33 from which  
 a G. Oak 10 in. dia. bears N 29 E 16 7 the.  
 & a Do. 8 " " " N 80 E 13 9 "

Land is rather marshy Oak timber scatter-  
 -ing & poor soil

West On the S. side of sec. 32 T. 31 N. R. 3 W.

24.00 Enter a wet prairie

40.00 Set the gr. sec. cor. post from which

T. 30 N. R. 3 W. 2<sup>nd</sup>, Mer. Ind.

C. L. A G. Oak 9 in. dia. bears S 85 E 136 1/2<sup>th</sup>,  
 No other bearing given,

75.00 Leave the wet prairie

80.00 Set a post cor. to sec. 31 & 32 from wh.  
 a W. Oak 18 in. dia. bears N 10 E 102<sup>th</sup> 1/2<sup>th</sup>,  
 & a Do. 20 " " " N 39 W 112 " "  
 Land mainly open & the timber is Oak,

West On the S. side of sec. 31 T 31 N R 3 W

21.69 To a G. Oak 12 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
 a G. Oak 7 in. dia. bears N 21 E 277<sup>th</sup> 1/2<sup>th</sup> 1/2<sup>th</sup>,  
 & a Do. 6 " " " S 30 W 96 " "

80.77 To the W. boundy. 1.18<sup>th</sup> S. of temp.  
 Lower cor. post. Set post cor. Towns, 30 & 31<sup>th</sup>,  
 Ranges 3 & 4 West from which  
 a W. Oak 12 in. dia. bears N 56 E 36<sup>th</sup> 1/2<sup>th</sup>,  
 & a Do. 12 " " " S 84 E 68 " "

Land is rolling & separate rate & the  
 timber is G. Oak &c. (Var 5:30 E.)

December 19<sup>th</sup> 1833. Surveyed by  
 Sylvester - Libby, Dep. Sur. -

## West Boundary (Var. 5:35 E.)

North On the E. side of sec. 30 T 30 N R 4 W

40.00 Set the gr. sec. cor. post in prairie from wh.  
 a W. Oak 8 in. dia. bears N 3 3/4 E 16.92<sup>th</sup> 1/2<sup>th</sup>,  
 & no other bearing tree given

70.00 Leave the wet prairie

80.00 Set a post cor. to sec. 35 & 36 from wh.  
 a W. Oak 10 in. dia. bears S 34 1/2 W 100<sup>th</sup>,  
 & a Do. 10 " " " N 40 E 47 " 1/2<sup>th</sup>,

Land is mostly wet prairie & a few Oaks on  
 the edge -



T. 30 N. R. 3 W. 2<sup>nd</sup> Mer, Ind?

E. L.  
 North On the E. side of Sec. 25 T. 30 N. R. 4 W  
 40.00 Set the 1/4 sec. cor. post from which  
     a W. Oak 10 in. dia. bears S 7 1/2 W 219 ft. dist.  
     & a G. Oak 18 " " " S 14 E 672 " "  
 59.09 To a G. Oak 16 " " in the line,  
 80.00 Set a post cor. to sec. 24 & 25 from which  
     a W. Oak 10 in. dia. bears S 14 W 237 ft. dist.  
     & a Do. 22 " " " N 60 1/2 W 128 " "  
 Land rolling & separate & the timber  
 is W. & G. Oak & the mud, gth. same,

---

North On the E. side of Sec. 24 T. 30 N. R. 4 W  
 31.00 Entered wet prairie  
 40.00 Set the gr. sec. cor. post from which  
     a W. Oak 4 in. dia. bears S 1 W 303 ft. dist.  
     & a Do. 18 " " " North 805 " "  
 46.00 Leave the wet prairie  
 48.05 To a W. Oak 18 in. dia. in the line,  
 63.88 To a W. Oak 30 " " " " "  
 80.00 Set a post cor. to sec. 13 & 24 from wh.  
     a W. Oak 20 in. dia. bears N 75 W 13 ft.  
     & a B. Oak 18 " " " S 3 1/2 W 119 "  
 Land level & separate W. & G. Oak timber

---

North On the E. side of sec. 13. T. 30 N. R. 4 W  
 20.24 To a W. Oak 12 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
     a G. Oak 18 in. dia. bears S 7 1/2 W 45 ft. dist.  
     & a Do. 24 " " " N 6 W 69 " "  
 80.00 Set a post cor. to sec. 12 & 13 from wh.  
     a G. Oak 12 in. dia. bears S 47 W 28 ft.  
     & a Do. 10 " " " N 76 W 44 "  
 Land level & separate & the timber, Oak,

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.6<sup>th</sup> L.

North On the E. side of Sw. 12 T. 30 N. R. 4 W

4.00 Enter a wet prairie

40.00 Set the gr. sec. cor. post from which  
a B. Oak 4 in. dia. bears S 5<sup>1</sup>/<sub>2</sub> W 780 ft. dia  
& no other tree near,80.00 Set a post cor. to sec. 1 & 12 from wh.  
a G. Oak 6 in. dia. bears N 1<sup>1</sup>/<sub>2</sub> W 654 ft.,  
& a W. Oak 8 " " " N 1 E 664 " dia,  
Land is marshy & scattered Oak timber &c.

North On the E. side of Sw. 1 T. 30 N. R. 4 W

4.00 Leave low wet prairie

35.89 To a G. Oak 18 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a Gum 4 in. dia. bears S 75<sup>1</sup>/<sub>2</sub> W 24 ft. dia,  
& a G. Oak 8 " " " N 22<sup>1</sup>/<sub>2</sub> W 36 " "

57.32 To a G. Oak 28 " " in the line,

80.00 Set a temporary town corner,  
Land level & scattered & the timber is  
W. G. Oak. (Var. 5<sup>1</sup>/<sub>2</sub> 35<sup>1</sup>/<sub>2</sub> E.)Dec. 19<sup>th</sup> 1833. Surveyed by  
Silvester Sibley. Dep. Sur.

## Subdivisions, T. 30 N. R. 3 W

North Between sections 35 &amp; 36 —

16.71 To a W. Oak 30 in. dia. in the line,

40.00 Set the gr. sec. cor. post from which  
a B. Oak 6 in. dia. bears S 48<sup>1</sup>/<sub>2</sub> W 262 ft. dia,  
& a D. 6 " " " S 57<sup>1</sup>/<sub>2</sub> W 272 " "80.00 Set a post cor. to sec. 25, 26, 35 & 36 —  
a B. Oak 18 in. dia. bears N 3<sup>1</sup>/<sub>2</sub> E 707 ft.,  
& a W. Oak 18 " " " N 3<sup>1</sup>/<sub>2</sub> W 722 "  
Land level wet barrens & part swamp

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.

Co. L,


East

80.79

On Random between sec. 25 & 36  
to the E. line of sec. 33 1/2 mi. N. of post  
Land level with barrens  
& the timber B & W. Oak scattering.

Note. The correction of the foregoing  
line between sec. 25 & 36. - will  
be found on the next page -

23



T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. a

410

6.25  
West

Correct the line between secs. 35 & 36  
40.39½ Set the q. sec. cor. post from which  
a W. Oak 20 in. dia. bears N 86° 24' W. 74 ft.  
a Do. 18 " " " S 40° W 22 " "  
80.79 To the section corner,  
Land level & wet prairie & the timber  
is scarce scattering B. & W. Oak &c

North

Between sections 25 & 26,  
16.78 To a B. Oak 30 in. dia. in the line,  
32.27 " " B. Oak 18 " " " "  
40.00 Set the 2<sup>nd</sup> sec. cor. post from which  
a B. Oak 24 in. dia. bears N 88° 18' W. 74 ft.  
a Do. 20 " " " S 1° W 30 " "  
80.00 Set a post cor. to secs. 23, 24, 25 & 26 -  
a W. Oak 20 in. dia. bears S 87° 16' 33" W. 74 ft.  
a Do. 18 " " " N 14° 16' 41" " "  
Land. 1½ mile dry B. Oak, hawthorn & B.  
Oak timber. N ½ mile destitute of undergrowth

East

On Random between secs. 24 & 25  
80.79 To the E. line of sec. 26 1/4 mi. S. of post,

West

Correct the line between secs. 24 & 25  
40.39½ Set the 2<sup>nd</sup> sec. cor. post from which  
a W. Oak 20 in. dia. bears S 17° W 30.3 ft.  
a Do. 18 " " " S 35° E W 211 " "  
80.79 To the section corner, Land level  
& wet prairie, some undergrowth, & the  
timber is scarce, & some groves of Oak &c

North

Between sections 23 & 24  
40.00 Set the q. sec. cor. post from which  
a W. Oak 18 in. dia. bears N 12° W 650 ft. 74 ft.



T. 30 N. R. 3 W. 2<sup>nd</sup>, New Ind.

Co. Sec. & a W. Oak 15 in. dia. bears N 15 $\frac{1}{2}$  W 6.00 M.  
 70.00 To a B. Oak 20 " " in the line,  
 75.28 " " Do. 24 " " " "  
 80.00 Set a post cor. to sec. 13 & 14. 23 & 24  
 a W. Oak 12 in. dia. bears S 23 W 6 M. dist.  
 & a B. Oak 24 " " " S 39 E 33 " "  
 Land tract having the timber is -  
 same. & some B. & W. Oak. (May 10<sup>th</sup> 1884.)

East On Random between sections 13 & 24  
 81.29 To the E. line of sec. 6 M. S. of post,

West Correct the line between sec. 13 & 24  
 40.64 Set the gr. sec. cor. post from which  
 no bearings. being in swamp  
 81.29 To the section corner Land level swamp  
 & the timber is - none -

North Between sections 13 & 14  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 10 in. dia. bears N 80 - 40 M. dist.  
 & a Do. 10 " " " N 84 W 53 " "  
 80.00 Set a post cor. to sec. 11, 12, 13 & 14  
 a W. Oak 12 in. dia. bears N 35 $\frac{1}{2}$  W 22 M.  
 & a Do. 18 " " " N 70 W 70 "  
 This line runs through flag & Bull  
 rush swampy. & some groves of Oak,

East On Random between sec. 12 & 13  
 81.88 To the E. boundary of sec. 20, 13 M. S.

West Correct the line between sec. 12 & 13,  
 40.94 Set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears N 13 W 30 M.

T. 30 N. R. 3 W. 2<sup>d</sup> New. Ind.<sup>a</sup>

6. 21 & a W. Oak 18 in. dia. bears N 75 W 50 th. dia.,  
 81.88 To the section corner,  
 Land level wet barney & the timber is  
 scarce, some B. Oak & some W. Oak &c.

North Between sections 11 & 12,  
 4.66 To a W. Oak 18 in. dia. in the line,  
 40.00 Set the 2<sup>d</sup> sec. cor. post from which  
 a W. Oak 110 in. dia. bears N 26 W 103 th. dia. &  
 a Do. 8 " " " N 7 W 150 " "  
 57.79 To a B. Oak 24 " " in the line,  
 80.00 Set a post cor. to sec. 1, 2, 11 & 12 from wh.  
 a B. Oak 10 in. dia. bears N 35 E 374 th. dia.,  
 & a W. Oak 18 " " " N 46 E 441 " "  
 Land level & wet barney & the timber  
 is scarce & some B & W. Oak &c.

East On Random between sec. 1 & 12  
 83.24 To the E. line of sec. 179 th. N. of post,

West Correct the line between sec. 1 & 12  
 6.25 To a B. Oak 18 in. dia. in the line,  
 41.62 Set the 2<sup>d</sup> sec. cor. post from which  
 a B. Oak 18 in. dia. bears N 63 W 38 th.,  
 & a Do. 15 " " " S 24 E 28 "  
 55.81 To a B. Oak 10 " " in the line,  
 63.28 " " Do. 18 " " " "  
 83.24 " the section corner,  
 Land dry barney & the timber is B,  
 & W. Oak & the mud. etc. is same when  
 there is any

North Between sections 1 & 2  
 40.00 Set the gr. sec. cor. in a mound,

413.

T. 30 N. R. 3 W. 2<sup>d</sup>. Nov. Ind.<sup>a</sup>

C. L.  
83.66

To the N. boundary, 225 lks. West of post  
Set post cor. to sec. 1 & 2 from which  
a W. Oak 12 in. dia. bears N 38 E 774 lks. dist.  
La Do. 12 " " " N 21 W 70 " "  
Land level & wet bearing & scarce of timber  
May 11. 1834. By Robt. Hamner, D. J.

North

Between sections 34 & 35,

24.50

To a B. Oak 24 in. dia. in the line,

40.07

Set the gr. sec. cor. post from which

a B. Gum 6 in. dia. bears N 27 E 900 lks. dist.  
La Do. 6 " " " N 1 1/2 W. 114 " "

48.66

To a W. Oak 12 in. " in the line

62.03

" a B. Oak 18 " " " "

17.57

" " W. Oak 12 " " " "

60.07

Set post cor. to sec. 26, 27, 34 & 35 -

a W. Oak 18 in. dia. bears S 35 W 44 lks. dist.  
La Do. 10 " " " N 56 1/2 E 63 " "

Land level chiefly wet bearing & the  
timber B. & W. Oak &c

East

On Rand on between sec. 26 & 35

80.36

To the East boundary, of sec. 87 lks. N. of post

West

Correct the line between sec. 26 & 35

40.18

Set the D. sec. cor. post from which

a W. Oak 12 in. dia. bears N 5 E 19 lks. dist.  
La Do. 16 " " " N 10 W 50 " "

80.36

To the section corner,

Land is level & wet bearing & the  
timber is scarce & a few B. & W. Oaks,

North

Between sections 26 & 27,

2.50

To a B. Oak 12 in. dia. in the line,

Comp<sup>d</sup> -

T. 30 N. R. 3 W. 2<sup>nd</sup> Men. Ind<sup>a</sup>.

Co. L,  
 33.23 To a W. Oak 18 in. dia. in the line  
 38.36 " a B. Oak 24 " " " "  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 18 in. dia. bears S  $1\frac{1}{2}$  E 76 ths,  
 & a Do. 24 " " " N  $61$  E 72 "  
 54.72 To a B. Oak 12 " " in the line,  
 74.88 " a W. Oak 15 " " " "  
 80.00 Set a post cor. to sec. 22.23.26 & 29  
 a B. Oak 38 in. dia. bears S  $38$  E 138 ths. dist.  
 & a Do. 6 " " " N  $6\frac{1}{2}$  W 240 " "  
 Land is level & dry bearing & the timber  
 is B. Oak & W. Oak &

East On Random between sections 23 & 26  
 79.35 To the E. line of sec. 142 ths. N. of post

West Correct the line between sections 23 & 26  
 39.67 $\frac{1}{2}$  Set the gr. sec. cor. post from which  
 a W. Oak 18 in. dia. bears N  $61\frac{1}{2}$  E 24 ths,  
 & a B. Oak 6 " " " S  $84$  E 187 "  
 46.82 To a W. Oak 30 " " in the line,  
 49.48 " a Do. 18 " " " " "  
 54.98 " a B. Oak 6 " " " " "  
 79.35 " the sec. corner, W.  $\frac{1}{2}$  mile's dry  
 bearing, & the E is flag & Bullrush  
 swampy, & the timber is B & W Oak &

North Between sections 22 & 23,  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 10 in. dia. bears S  $70$  E 66 ths. dist.,  
 & a W. Oak 20 " " " N  $62\frac{1}{2}$  W 137 " "  
 43.62 To a B. Oak 18 " " in the line,  
 67.75 " a Do. 24 " " " " "  
 80.00 Set a post cor. to sec. 14.15.22 & 23,



T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

C. L.

a W. Oak 12 in. dia. heavy S 30 W 129 M.,  
 & a Do. - " " " S 34 E 162.  
 Land level wet barney & the timber is 73%  
 W. Oak &c. where there is any

East  
80.04

On Random between sec. 14 & 23,  
 To the E. line of sec. 75 M. N. of post,

West  
40.02

Correct the line between sec. 14 & 23,  
 Set the gr. sec. cor. post from which  
 an Aspen 4 in. dia. heavy S 63 W 22 M.,  
 & a Do. 4 " " " N 24 W 57 "

80.04

To the sections corner,  
 Land level. swampy & some groves of  
 aspen & W. Oak. (May 13<sup>th</sup> 1834, )

North

Between sections 14 & 15

4.59

To a W. Oak 24 in. dia. in the line,

9.39

" a B. Oak 20 " " " "

40.00

Set the gr. sec. cor. post from which  
 a W. Oak 18 in. dia. heavy S 28 E 50 M. dia.,  
 & a Do. 12 " " " S 18 E 89 " "

80.00

Set a post cor. to sec. 10, 11, 14 & 15 -  
 a B. Oak 24 in. dia. heavy N 53 E 55 M.,  
 & a Do. 20 " " " N 48 E 513.  
 Land level & wet barney & the timber  
 is B. Oak & W. Oak &c.

East

On Random between sections 11 & 14  
 80.21 To the E. line of sec. 110 M. N. of post,

West

Correct the line between sec. 11 & 14

3.03

To a W. Oak 12 in. dia. in the line,

7.68

" a Do. 12 " " " "

T. 30 N. R. 3 W. 3<sup>d</sup> New. Ind.

Co. Co.  
 40.10 $\frac{1}{2}$  Set the gr. sec. cor. post from which  
 a B. Oak 22 in. dia. bears S 32 E 129 M. dia.,  
 & a Do. 10 " " " S 28 E W 139 " "  
 80.21 To the section corner,  
 Land level & wet banners & the timber  
 is W. & B. Oak &c

North Between sections 10 & 11  
 40.00 Set the 2<sup>d</sup> sec. cor. post in pond (as trees)  
 80.00 Set a post cor. to sec. 2, 3, 10, & 11—  
 a W. Oak 12 in. dia. bears N 69 W 358 M.,  
 & a Do. 18 " " " N 60 W 348 "  
 Land level & wet banners & the timber is  
 scarce, of any kind & a few B. & W. Oaks,

East On Random between sec. 2 & 11  
 80.72 To the E. end of sec. 75 M. S. of post

West Correct the line between sec. 2 & 11  
 40.36 Set the gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears N 57 E 98 M.,  
 & a B. Oak 20 " " " N 72 W 226 " dia.,  
 80.72 To the section corner,  
 Land is level with banners W. & B. Oak &c

North Between sections 2 & 3  
 19.66 To a B. Oak 18 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 29 in. dia. bears N 48 W 322 M.,  
 & a Do. 12 " " " S 50 W 324 "  
 77.34 To the N. boundary, 250 M. W. of post,  
 where a rise at mound,  
 Land level & wet banners & the timber  
 is scarce, grows of W & B. Oak &c

T. 30 N. R. 3 W. 2<sup>nd</sup> New. Ind.6. La.  
North

Between sections 33 &amp; 34

13.43

To a B. Oak 18 in. dia. in the line,

40.00

set the gr. sec. cor. post from which

a B. Oak 10 in. dia. bears S 31 E 1 1/2 M. dist.

&amp; a Do. 12 " " " N 62 1/2 W 219 " "

80.00

Set a post cor. to sec. 27, 28, 33 &amp; 34 -

where raised a mound

Land level level banners flag & Bull  
rush swamps & B. Oak & W. Oak & aspen

East

On Random between sec. 27 &amp; 34

79.40

To the E. line of sec. 75 M. et. of post

West

Correct the line between sec. 27 &amp; 34

8.93

To a B. Oak 24 in. dia. in the line,

11.95

" " B. Oak 12 " " " " "

17.19

" " Do. 18 " " " " "

39.70

Set the gr. sec. cor. post from which

a W. Oak 24 in. dia. bears S 25 W 433 M.

&amp; a Do. 18 " " " S 27 W 444 "

79.40

To the Sections corner,

East 1/2 mile dry 2<sup>nd</sup> rate land,& the timber is B. Oak W. Oak & the W.  
is a marsh without timber,

North

Between sections 27 &amp; 28

40.00

Set the gr. sec. cor. post from which

a Spruce 20 in. dia. bears N 69 W 224 M. dist.

&amp; an Aspen 12 " " " N 50 W 194 " "

80.00

Set a post cor. to sec. 21, 22, 27 &amp; 28,

a W. Oak 20 in. dia. bears S 6 E 553 M. dist.

&amp; a B. Oak 18 " " " S 9 E 572 " "

Land level flag & bull rush swamps  
groves of B. Oak, Aspen Spruce &

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. a

East On Random between sections 22 & 27  
79.80 To the E. line of sec. 20 N. E. of post,

West Correct the line between sec. 22 & 27  
18.38 To a B. Oak 24 in dia. in the line,  
24.14 " " W. Oak 20 " " " "  
39.90 Set the gr. sec. cor. post from which  
a W. Oak 18 in dia. bears S 33 E 186 ft.,  
La B. Oak 30 " " " S 20 W 225 "  
79.80 To the sections corner,  
Land level & E. & dry W. Oak & B. Oak  
timber & the W. is wet without timber

North Between sections 21 & 22,  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 18 in dia. bears S 31 E 38 ft.,  
La Do. 20 " " " S 45 E 23 "  
55.42 To a B. Oak 24 in dia. in the line,  
64.62 " " B. Oak 25 " " " "  
80.00 Set a post cor. to sec. 15-16-21 & 22 -  
a W. Oak 12 in dia. bears N 23 E 94 ft.,  
La Do. 15 " " " N 23 E 96 " dia.,  
Land level wet barney & the timber  
is scarce of B. & W. Oak &

East On Random between sec. 15 & 22  
79.78 To the E. line of sec. 22. N. S. of post,

West Correct the line between sections 15 & 22  
39.89 Set the 2<sup>nd</sup> sec. cor. post from which  
an Aspen 6 in dia. bears N 5 E 101 ft.,  
La Do. 8 " " " S 9 E 93 "  
79.78 To the section corner,  
Land is level wet barney & the timber,



T. 30 N. R. 3 W. 2<sup>nd</sup> Mer Ind<sup>a</sup>

C. L.

is scarce, some B. Oak & Oak & Ash  
May 14<sup>th</sup>, 1834 —

North Between sections 15 & 16,  
19.56 To a B. Oak 24 in. dia. in the line,  
40.00 Set the gr. sec. cor. post in a mound  
80.00 Set a post cor. to sec. 9, 10, 15 & 16,  
a B. Oak 10 in. dia. bearing S 55 $\frac{1}{2}$  E 22 $\frac{1}{2}$  M.,  
& a Do. 12 " " " N 75 $\frac{1}{2}$  W 79 " dit,  
Land level wet barrens & some grove  
of B. & W. Oak timber

East On Random between sec. 10 & 15  
81.35 To the E. line of sec. 75 M. S. of post,

West Correct the line between sec. 10 & 15  
23.77 To a W. Oak 12 in. dia. in the line  
40.67 $\frac{1}{2}$  Set the gr. sec. cor. post in pond  
a B. Oak 18 in. dia. bearing S 57 $\frac{1}{2}$  W 57 $\frac{1}{2}$  M. dit,  
& a Do. 18 " " " S 58 $\frac{1}{2}$  W 58 $\frac{1}{2}$  " "  
81.35 To the section corner,  
Land is level wet barrens & the timber  
is scarce & B. & W. Oak &c

North Between sections 9 & 10  
40.00 Set the gr. sec. cor. post from which  
a W. Oak 24 in. dia. bearing N 17 $\frac{1}{2}$  W 34 $\frac{1}{2}$  M.,  
& a B. Oak 20 " " " S 32 $\frac{1}{2}$  W 67 "  
45.59 To a B. Oak 18 " " in the line,  
80.00 Set a post cor. to sec. 3, 4, 9 & 10  
a B. Oak 24 in. dia. bearing N 52 $\frac{1}{2}$  E 15 $\frac{1}{2}$  M.,  
& a Do. 20 " " " N 53 $\frac{1}{2}$  W 38 $\frac{1}{2}$  "  
Land is level wet barrens & the timber  
is scarce & some B. & W. Oak &c

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

C. L.  
East On Random between sec. 3 & 10  
81.39 To the E. line of sec. 100 th. S. of post

West Correct the line between sec. 3 & 10  
9.34 To a B. Oak 18 in. dia. in the line,  
40.69½ Set the gr. sec. cor. post from which  
a W. Oak 24 in. dia. bears N 11 E 182 th.  
+ a Do. 20 " " " N 13½ W 176 "  
81.39 To the sections corner,  
Land is level & the principal part  
dry barrens, some grove of W. & B. Oak,

North Between sections 3 & 4  
23.26 To a W. Oak 12 in. dia. in the line;  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 24 in. dia. bears N 65 W 112 th.  
+ a Do. 20 " " " S 32 E 134 "  
79.18 To the N. boundary, 45 th. W. of post,  
Set post cor. to sec. 3 & 4 from which  
a B. Oak 18 in. dia. bears S 32 W 28 th. dia.  
+ a Do 18 " " " S 65 W 82 "  
Land level dry barrens & the timber,  
is scarce of B. & W. Oak & N. C. same

North Between sections 32 & 33,  
40.00 Set the gr. sec. cor. post in pond  
a B. Oak 18 in. dia. bears N 18 E 400 th.  
+ a W. Oak 12 " " " N 69 E 460 "  
66.36 To a W. Oak 12 " " in the line,  
68.28 " " Do. 12 " " " " "  
80.00 Set a post cor. to sec. 28, 29, 32 & 33,  
a B. Oak 12 in. dia. bears S 34 W 365 th.  
+ a Do. 12 " " " S 12 W 326 "  
Land level wet barrens of W. & B. Oak

421

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>,

C. L.

East On Random between sections 28 & 33  
81.11 To the E. line of sec. 22<sup>th</sup> M. S. of post,

West Correct the line between sec. 28 & 33  
40.55 Set the q. sec. cor. post from which  
a B. Oak 20 in. dia. bears N 57° W 20 M,  
+ a Do. 24 " " " S 89° E 35 " dia.,  
41.79 To a B. Oak 18 " " in the line,  
81.11 To the section corner. The E<sup>1</sup>/<sub>2</sub> runs  
through a flag marsh & the W<sup>1</sup>/<sub>2</sub> land  
with timber of Oak B & W. &c., May 15. 1834

North Between sections 28 & 29  
18.37 To a B. Oak 12 in. dia. in the line,  
40.00 Set the q. sec. cor. post from which  
a B. Oak 20 in. dia. bears S 27° E 100 M,  
+ a Do. 12 " " " " S 72° E 98 "  
59.38 To a W. Oak 18 " " in the line,  
80.00 Set a post cor. to sec. 20, 21, 28 & 29  
a W. Oak 12 in. dia. bears N 35° W 45 M,  
+ a Do. 24 " " " " N 30° E 216 "  
Land is level prairie. Small grove  
of W. & B. Oak &c.

East On Random between sections 21 & 28  
79.56 To the E. line of sec. 12<sup>th</sup> M. S. of post,

West Correct the line between sec. 21 & 28  
4.90 To a W. Oak 12 in. dia. in the line,  
39.78 Set the 1/4 sec. cor. post from which  
an Aspen 12 in. dia. bears S 89° E 66 M,  
+ a B. Oak 18 " " " " N 57° W 181 "  
79.56 To the section corner,  
Land level wet leaners, affixed. Oaks &c.,

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>,

C. L.  
 North Between sections 20 & 21  
 32.90 To a B. Oak 24 in. dia, in the line  
 34.14 " " W. Oak 12 " " " "  
 40.00 Set a gr. sec. cor. post from which  
 a W. Oak 20 in. dia. bears S 85 E 19 lbs,  
 & a Do. - " " " S 86 W 29 "  
 69.26 To a W. Oak 12 " " in the line,  
 80.00 Set a post cor. to section 16 & 17, 20 & 21  
 where raised a mound  
 Land level & dry prairie & the timber  
 is B & W. Oak, W. G. same where any

East On Random between sec. 16 & 21  
 79.88 To the E. line of sec. 58 S. of post.

West Correct the line between sec. 16 & 21  
 39.94 Set the gr. sec. cor. post from which  
 an Aspen 12 in. dia, bears N 3 W 150 lbs,  
 & a Do. 12 " " " S 26 E 203 "  
 79.88 To the section corner,  
 Land is level, E 1/2 mile wet prairie  
 W 1/2 mile is flag swamp. No timber

North Between sections 16 & 17,  
 16.56 To a W. Oak 18 in. dia, in the line  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 20 in. dia. bears S 2 W 226 lbs,  
 & a Do. 6 " " " S 17 1/2 W 230 "  
 47.42 To a B. Oak 18 " " in the line,  
 69.42 " " W. Oak 12 " " " "  
 70.11 " " B. Oak 24 " " " "  
 78.80 " " Do. 24 " " " "  
 80.00 Set a post cor. to sec. 8, 9, 16 & 17  
 a W. Oak 18 in. dia, bears S 47 W 30 lbs dia



T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Co. L. La W Oak 12 in. dia, bears S 59 E 20 M.,  
Land rolling dry barney & the timber,  
is B. & W. Oak & —

East On Random between sec. 9 & 16  
79.13 To the E. line of sec. 35 M. N. of post,

West Correct the line between sec. 9 & 16  
1.44 To a W Oak 12 in. dia, in the line,  
15.47 To a W Oak 24 " " " " "  
39.56 1/2 set the gr. peg, cor. post from which  
a B. Oak 12 in. dia, bears S 72 E 91 M.,  
La Do. 30 " " " S 16 E 120 "  
79.13 To the section corner,  
Land is level & well barney & the timber,  
is same, & a few W. & B. Oaks & —

North Between sections 8 & 9  
3.52 To a W Oak 12 in. dia, in the line,  
11.62 To a W Oak 12 in. dia, in the line  
18.33 " a Do. 18 " " " "  
40.80 set the gr. peg, cor. post from which  
a B. Oak 12 in. dia, bears S 60 E 49 M.,  
La Do. 18 " " " S 89 W 39 "  
80.00 To the N. boundary of sec. 8 & 9 & corner  
of sec. 4, 5, 8 & 9. where set a post for which  
a W Oak 24 in. dia, bears S 64 W 12 M. 8 M.,  
La Do. 12 " " " S 80 E 38 " "  
Land is well barney & the timber  
is B. Oak W Oak & Hickory & —

East On Random between sec. 4 & 9  
79.40 To the E. line of sec. 40, M. N. of post,

West Correct the line between Sec. 4 & 9

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

625,  
39.73 Set the gr. sec. cor. post from which  
a W. Oak 18 in. dia. bears  $N 63^{\circ} W 166$  ft. dist.  
+ a B. Oak 12 " " "  $N 88^{\circ} E 167$  " "  
55.79 To a W. Oak 18 " " in the line,  
79.46 To the section corner, Land level & dry  
barren, scarce of timber, W. & B. Oak,  
the mud etc. same when there is any

North Between sections 4 & 5,  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 12 in. dia. bears  $N 35^{\circ} W 12$  ft.,  
+ a W. Oak 15 " " "  $N 64^{\circ} E 20$  "  
71.27 To a B. Oak 24 " " in the line,  
77.00 To the N. boundary line 266 ft. west of post,  
a B. Oak 12 in. dia. bears  $S 39^{\circ} E 106$  ft. dist.,  
+ a Do. 18 " " "  $S 33^{\circ} E 138$  " "  
Land 2<sup>nd</sup> rate barren & the timber  
is scarce & scattering B. & W. Oak &c.,  
May 16<sup>th</sup>. 1834.

North Between sections 31 & 32  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 18 in. dia. bears  $N 57^{\circ} E 16$  ft. dist.,  
+ a Do. 20 " " "  $N 23^{\circ} E 25$  "  
80.00 Set a post cor. to sec. 29, 30, 31 & 32  
a W. Oak 24 in. dia. bears  $S 2^{\circ} E 840$  ft. dist.,  
+ a B. Oak 20 " "  $S 86^{\circ} E 10.13$  " ft. "  
Land level wet barren & the timber  
is scarce & a few B. & W. Oak &c.,

East On Random between sections 29 & 32  
79.50 To the E line of sec. 167 ft. N. of post,

West Correct the line between sec. 29 & 32

425

T. 30 N. R. 3 W. 2<sup>nd</sup> New. Ind.

6. B.  
10.20 To a B. Oak 36 in. dia. in the line,  
39.75 Set the gr. sec. cor. post from which  
a W. Oak 10 in. dia. bears S 29 E 36 1/2 lbs. dia.,  
4 a B. Oak 12 " " " S 11 W 41 " "  
79.50 To the section corner,  
Land level & wet barney & the timber  
is scarce & some B. & W. Oak &

West Between sections 30 & 31  
79.98 To the W. boundy. 4 lbs. st. of post

East Correct the line between sec. 30 & 31  
39.98 Set the gr. sec. cor. post from which  
a B. Oak 20 in. dia. bears S 84 E 44 1/2 lbs.,  
4 a Do. 4 " " " S 1 W 20 1/4 "  
79.98 To the sections corner,  
Land level & dry barney & the timber  
is scarce & some B. & W. Oak &

North Between sections 29 & 30,  
20.30 To a B. Oak 20 in. dia. in the line,  
32.50 " " W. Oak 12 " " " " "  
40.00 Set the gr. sec. cor. post from which  
a B. Oak 20 in. dia. bears S 42 W 155 lbs.,  
4 a Do. 12 " " " S 55 W 158 "  
61.67 To a B. Oak 36 " " in the line,  
80.00 Set a post cor. to sec. 19.20, 29 & 30,  
B. Oak 30 in. dia. bears S 74 W 75 1/2 lbs. dia.,  
4 a Do. 24 " " " S 82 W 85 1/2 " "  
Land level dry barney & the timber is  
scarce. & some B. & W. Oak &

North Between sections 29 & 30  
20.30 To a B. Oak 20 in. dia. in the line

T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. 2<sup>nd</sup> Sec.

C. L.  
 32.50 To a W. Oak 12 in. dia. in the line,  
 40.00 Set the gr. sec. cor. post from which  
 a B. Oak 20 in. dia. bears S 42° W. 155 lks.,  
 & a Do. 12 " " " S 55° W. 158 " dist.  
 61.69 To a B. Oak 36 " " in the line,  
 80.00 Set a post cor. to sec. 19, 20, 29 & 30, in swamp,  
 note (copy of this line repeated through mistake.) -

East On Random between sections 20 & 29  
 80.00 To the E. line of sec. 10 lks. S. of post,

West Correct the line between sections 20 & 29  
 40.00 Set the gr. sec. cor. post from which  
 a W. Oak 24 in. dia. bears at 59° E 400 lks. dist.,  
 & a Do. 30 " " " S 36½° W 445 " "  
 80.00 To the sections corner,  
 Land level wet barrens & the timber  
 is scarce, B & W. Oak &c

West On Random between sec. 19 & 30  
 78.56 To the W. boundary 6 lks. S. of post,

East Correct the line between sec. 19 & 30  
 9.93 To a B. Oak 24 in. dia. in the line,  
 38.56 Set the gr. sec. cor. post from which  
 a W. Oak 12 in. dia. bears at 85° E 724 lks.,  
 & a Do. 10 " " " N 83½° E 735 "  
 78.56 To the sections corner,  
 Land level & the E. ½ mile wet & scarce  
 of timber. - W ½ dry land timber. Oak &c,  
 mud, brush scarce where there is any.

North Between sections 19 & 20  
 40.00 Set the gr. sec. cor. post from which



T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.

6. L.	a W. Oak 12 in. dia., bears S 76 E 310 Mr. dia.,
	& a Do. 18 " " " S 81 E 110 " "
80.00	Set a post cor. to sec. 17, 18, 19 & 20 from which
	a W. Oak 18 in. dia., bears S 77 E 447 Mr. dia.,
	& a B. Oak 20 " " " S 71 W 18 " "
	Land level & wet prairie & the timber is
	scarce of B. & W. Oak &c
East	On Random between sec. 17 & 20
80.30	To the E. line of sec. 22 Mr. S. of post,
West	Correct the line between sec. 17 & 20
40.15	Set the gr. sec. cor. post from which
	a W. Oak 12 in. dia., bears S 70 E 106 Mr.
	& a Do. 10 " " " S 76 E 108 "
44.85	To a W. Oak 18 " " in the line,
52.72	" a B. Oak 20 " " " "
80.30	" the section corner,
	Land level & E. $\frac{1}{2}$ mile is marshy &
	Bullrush swamp, W. $\frac{1}{2}$ 3 rods dry
	prairie, & W. & B. Oak timber May 17. 1834
West	Between sections 18 & 19,
78.10	To the W. boundary, 39 Mr. N. of post
East	Correct the line between sec. 18 & 19
17.25	To a W. Oak 20 in. dia., in the line,
24.63	" a B. Oak 24 " " " "
38.10	Set the gr. sec. cor. post from which
	a - 13 in. dia., bears S 78 E 119 Mr. dia.,
	& a Hickory 12 " " S 38 E 122 " "
47.00	To a W. Oak 12 in. dia., in the line,
54.91	" a W. Oak 18 " " " "
78.10	To the section corner, Land 2 <sup>nd</sup> rat day

T. 30 N. R. 3 W. 2<sup>d</sup>. New. Ind. a.

Co. L. B. &amp; W. Oak Landing &amp;

North Between sections 17 &amp; 18,

1.95 To a W. Oak 18 in. dia. in the line,

15.63 " " Do. 12 " " " " "

31.50 " " B. Oak 20 " " " " "

40.00 Set the gr. sec. cor. post from which  
a W. Oak 12 in. dia. bears N 52° W 42<sup>1</sup>/<sub>2</sub> M. dist.,  
& a Do. 20 " " " N 43° E 76 " "

57.99 To a W. Oak 18 " " in the line,

80.00 Set a post cor. to sec. 7, 8, 17, & 18, from which  
a B. Oak 10 in. dia. bears N 82° E 350 M.,  
& a Do. 10 " " " S 77° E 376 " dist.Land level & dry barney & the timber  
is scarce. B. & W. Oak & the h. g. same,

East On Random between sections 8 &amp; 17

78.53 To the E. line of sec. 112 M. S. of post,

West Correct the line between sec. 8 &amp; 17

8.63 To a W. Oak 24 in. dia. in the line

39.86<sup>1</sup>/<sub>2</sub> Set the 2<sup>d</sup> sec. cor. post from which  
a W. Oak 12 in. dia. bears S 36° E 60 M.,  
& a Do. 24 " " " S 73° E 69 "

78.53 To the section corner,

Land level &amp; dry barney B. &amp; W. Oak,

West Between sections 7 &amp; 18,

77.81 To the West boundary, 16 M. S. of post,

East Correct the line between sec. 7 &amp; 18

4.08 To a B. Oak 20 in. dia. in the line,

10.23 " " Do. 24 " " " " "

37.81 " " Do. — " " for  $\frac{1}{4}$  sec. cor. tree,

T. 30 N. R. 3 W. 2<sup>nd</sup>. New. Ind.<sup>a</sup>

C. L.

47.85 To a W. Oak 24 in. dia. in the line,

60.69 To a W. Oak 12 " " " "

77.81 To the section corner,

Land level wet barney & the timber  
is B. W. Oak &c

North Between sections 7 &amp; 8,

21.06 To a B. Oak 20 in. dia. in the line,

40.00 Set the q. sec. cor. post from which  
a B. Oak 6 in. dia. heavy S 74 1/2° W 98 1/4°  
& a Do. 12 " " " N 22 1/2° E 102 "

53.44 To a W. Oak 36 " " in the line

80.00 Set a post cor. to sec. 5, 6, 7, & 8,  
a B. Oak 20 in. dia. heavy S 23° W 19 1/4°  
& a W. Oak 18 " " " S 38 1/2° E 14 "Land is level wet barney & the timber  
is same, B & W. Oak &c

East On Random between sec. 5 &amp; 8

77.92 To the E. line of sec. 11 1/4 m. S. of post

West Correct the line between sec. 5 &amp; 8,

38.96 Set the q. sec. cor. post from which  
a B. Oak 18 in. dia. heavy S 22 1/2° W 115 1/4°  
& a Do. 24 " " " S 12° W 148 "

40.95 To a B. Oak 24 " " in the line,

45.70 " " Do. 20 " " " " "

77.92 To the section corner,

Land level wet barney & the timber  
is same B & W. Oak &c

West On Random between sec. 16 &amp; 19

77.09 To the W. boundary, 5 1/4 m. S. of post

T. 30 N. R. 39 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

C. L.

East Corner the line between secs. 6 & 7  
 37.07 Set the gr. sec. cor. post from which  
 a W. Oak 12 in. dia. bears S 63° W 387 ft.,  
 & a Do. - " " " S 62° W 593 ft.,  
 77.07 To the section corner,  
 Land level with prairie some grove  
 of White & Black Oak timber,

North Between sections 5 & 6,

40.00 Set the gr. sec. cor. in swamp  
 no bearings & —  
 78.16 To the N. boundy. 382 ft. West  
 of post, & set post cor. sec. 5 & 6  
 C. B. Oak 18 in. dia. bears N 64° E 31 ft.,  
 & a W. Oak 20 " " " N 49° W 61 ft.,  
 The whole of this line runs through  
 a flag & Bull rush swamp —  
 May 18<sup>th</sup> 1834 —

A true copy from the original,

A true copy from the original  
 field notes of the survey of this  
 township. Except the certificate of  
 chain men &c.,

Robert Hanna Dep. Sur.,



T. 30 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>,

I certify that the foregoing transcript  
 of field notes of Township 29 North,  
 Range 3 West 2<sup>nd</sup> Mer. Indiana, has  
 been compared with the original  
 in this office & found to be correct,  
 C. S. Hoines,  
 Sur. Genl.

Surveyor General's Office,  
 Cincinnati. March 31<sup>st</sup> 1842.